# Samsung Galaxy Tab® Active SmartSled®

## Samsung Galaxy Tab® Active SmartSled®

The typical business tablet requires diverse features such as water/dust/drop protection, security, flexibility and productivity. The proposed challenge to find a tablet with high performance barcode scanning capability has found a solution.

The Samsung Galaxy Tab Active SmartSled® enables the IP54 rated, B2B Tablet for business customer relation management (CRM), supply chain management (SCM), workforce management (WFM), contact center, and point of sale (POS) applications.

KOAMTAC's patented SmartSled design protects the user's investment by providing an easy upgrade option.

The Samsung Galaxy Tab Active SmartSled comes with a 1D laser or 2D imager barcode reader option. The 1D laser barcode solution









### **ADVANCED FEATURES**

- Optimal scanning capability with two scan buttons
- Collapsable stand for optimal views
- Convenient handle for on the go carrying
- EMV/MSR/NFC option available in 2Q of 2015
- 1D laser (KDC20) or 2D imager (KDC30) barcode reader option

- Dimensions 250 x 146.97 x 44.2 mm (9.27" x 5.25" x 1.47")
- Weight 12 oz (333 g sled only)
  17 oz (489.5 g GTA)
  1.2 oz (35.5 g KDC20)
  1.8 oz (50.5 g KDC30)

# Samsung Galaxy Tab® Active 2-Slot Charging Cradle

## Samsung Galaxy Tab® Active 2-Slot Charging Cradle

Charge your Samsung Galaxy Tab Active and your Galaxy Tab Active SmartSled® all in one with the Samsung Galaxy Tab Active 2-Slot Charging Cradle. Each slot conveinently supports optimal charging with or without the protective Galaxy Tab Active bumper. The 2-slot charging cradle comes complete with spacers for the Galaxy Tab Active and may be attached to additional 2-slot chargers by using an adaptor for 4-slot configuration (sold separately).





#### ADVANCED FEATURES

- Charging for both the Samsung Galaxy Tab Active and Galaxy Tab Active SmartSled® per slot
- Enhanced charging protection
- Spacers included for simple Samsung Galaxy Tab Active Charging
- Optional 4-slot charging configuration

- LED indicator
- Nominal Charging Voltage 3.8V (GTA) 3.3V (KDC20/30)
- Charging Current: 1.5 Ah (GTA) 110mAh (KDC20) 400mAh (KDC30)
- Dimensions 149.3 x 149.3 x 64.2 mm  $(6" \times 6" \times 2.5" \text{ without spacer})$ 217.6 x 149.3 x 64.2 mm  $(8" \times 6" \times 2.5" \text{ with GTA spacer})$ 231.4 x 149.3 x 64.2 mm  $(9" \times 6" \times 2.5" \text{ with GTA plus bumper})$ spacer)
- Weight 12 oz (345 g cradle only) 1.94 oz (55 g with Cover A only) 2 oz (59 g with Cover B only)
- CE Certified

# Samsung Galaxy Tab® Active Single Battery

## Samsung Galaxy Tab® Active Single Battery Charging Kit

Stay charged with the convenient Samsung Galaxy Tab Active charging kit. Each kit includes a optional spare battery (sold separately) and a charging case that provides users with a peace of mind and provides portable power when you need it most.

The durable protective case is complete with a cover door that protects your battery, while it charges and serves as a compact accessory. Simply slip your spare battery into the charging storage compartment and plug in your USB 3.0 charging cable for lightning fast charging. Complete with a LED lighting system, the charging kit will indicate a



red light for charging and a green light for a fully charged battery.

The incredible size of the Samsung Galaxy Tab Active Battery Charging Kit makes it easy to charge at home or on the go.





#### **ADVANCED FEATURES**

- USB 3.0 connector enables faster charging from USB port
- Enhanced charging protection
- Optional spare 4450 mAh battery (sold) separately)
- Stores and protects spare battery with high quality cover door

- USB 3.0 connector
- LED indicator
- Nominal Charging Voltage 3.8V
- Charging Current: 1.5 Ah
- Dimensions 94.43 x 141.73 x 14 mm  $(3.7" \times 5.6" \times .55")$
- Weight 7 oz (200 g with battery) 4 oz (115 g without battery)
- FCC, CE, KCC Certified

# Samsung Galaxy Tab® Active 5-Slot Battery

## Samsung Galaxy Tab® Active 5-Slot Battery Charger

The Samsung Galaxy Tab Active 5-Slot battery charger is a convenient and effective method of charging. The unique design can charge upto 5 batteries at once safely, for the ultimate method of charging.

The sleek design of the charger has an LED indicator that enables users to carefully monitor the charge of the batteries. It is made of the highest quality materials and has a nominal charging voltage of 3.8V.





### **ADVANCED FEATURES**

- Five slots for optimal charging
- Safely stores upto five batteries
- Enhanced charging protection

- 12V 4A DC Adaptor
- LED indicator
- Nominal Charging Voltage: 3.8V
- Charging Current: 1.5Ah per battery
- Dimensions: 100 x 208.49 x 55.5 mm  $(3.7" \times 5.6" \times .55")$
- Weight: 11 oz (309 g with battery) 26 oz (734 g with 5 batteries)
- FCC, CE, KCC Certified